This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

	V.	. ૧ ઝર્			е,	•
) · · · · · · · · · · · · · · · · · · ·			
			* · · · · · · · · · · · · · · · · · · ·			
	÷ .		√, •	Fy., w		
			v Ra		4	
ė .				e e la	•	
			*	i i i i i i i i i i i i i i i i i i i		
				*		
					·	
· .					1 1	
				į		
	2				* * * * * * * * * * * * * * * * * * *	
j.						
· ·						
			4	(E) *		
					10° =	
á.			i i			
			√. e≨e			4
. (0				1.0		
			8			
			e .		•	
*			4			
.*		•	Y	*	*A**	
			× .		·	
•						
	-		*.			
			. 5			




PCT


INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference		of Transmittal of International Search Report 20) as well as, where applicable, item 5 below.
PHDE000004W0 International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/EP 00/09197	18/09/2000	18/09/1999
Applicant		
KONINKLIJKE PHILIPS ELECT	RONICS N.V.	
This International Search Report has bee according to Article 18. A copy is being tra	n prepared by this International Searching Authansmitted to the International Bureau.	nority and is transmitted to the applicant
This International Search Report consists	of a total of 2 sheets.	
	a copy of each prior art document cited in this	report.
Basis of the report		
	international search was carried out on the bas less otherwise indicated under this item.	sis of the international application in the
the international search w Authority (Rule 23.1(b)).	vas carried out on the basis of a translation of t	he international application furnished to this
b. With regard to any nucleotide an was carried out on the basis of th		nternational application, the international search
1	onal application in written form.	
filed together with the inte	ernational application in computer readable form	n.
furnished subsequently to	this Authority in written form.	
	this Authority in computer readble form.	
	bsequently furnished written sequence listing d as filed has been furnished.	oes not go beyond the disclosure in the
the statement that the info furnished	ormation recorded in computer readable form is	s identical to the written sequence listing has been
2. Certain claims were fou	nd unsearchable (See Box I).	
3. Unity of invention is lac	king (see Box II).	
4. With regard to the title,		
X the text is approved as su	ubmitted by the applicant.	
the text has been establis	shed by this Authority to read as follows:	
5. With regard to the abstract,		
1777	ubmitted by the applicant.	
	shed, according to Rule 38.2(b), by this Authorice date of mailing of this international search rep	
6. The figure of the drawings to be pub	lished with the abstract is Figure No.	2
X as suggested by the appl	icant.	None of the figures.
because the applicant fail	led to suggest a figure.	
because this figure better	characterizes the invention.	







			
A. CLASSII IPC 7	FICATION OF SUBJECT MATTER H04B3/54		
٠-			
According to	International Patent Classification (IPC) or to both national classifica	tion and IPC	
B. FIELDS	SEARCHED		
Minimum do	ocumentation searched (classification system followed by classification HO4B HO1B	on symbols)	
Documentat	lion searched other than minimum documentation to the extent that so	uch documents are included in the fields se	arched
Electronic d	ata base consulted during the international search (name of data bas	se and, where practical, search terms used)
EPO-In	ternal, WPI Data, PAJ		
	·		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.
,,	UC 4 COL 170 A (DICANDET JEAN A)		1-11
X	US 4 621 170 A (PICANDET JEAN A) 4 November 1986 (1986-11-04)		1-11
	column 2, line 25 - line 40		
	column 5, line 10 - line 53		
Α	EP 0 520 680 A (AMERICAN TELEPHON		1-11
	TELEGRAPH) 30 December 1992 (1992	?-12-30)	
	abstract		
Α	US 5 852 635 A (CRANE RONALD C)		1
	22 December 1998 (1998-12-22) abstract		
Furt	her documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
° Special ca	ategories of cited documents:	"T" later document published after the inte	rnational filing date
	ent defining the general state of the art which is not dered to be of particular relevance	or priority date and not in conflict with cited to understand the principle or the invention	
	document but published on or after the international	"X" document of particular relevance; the cannot be considered novel or cannot	
'L' docume	ent which may throw doubts on priority claim(s) or	involve an inventive step when the do "Y" document of particular relevance: the c	cument is taken alone
citatio	n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	cannot be considered to involve an in document is combined with one or mo	ventive step when the
other	means ent published prior to the international filing date but	ments, such combination being obvio in the art.	us to a person skilled
later ti	han the priority date claimed	*&* document member of the same patent	
Date of the	actual completion of the international search	Date of mailing of the international sea	атоп героп
3	November 2000	07/12/2000	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	De Iulis, M	
I	Fax: (+31-70) 340-3016	l ne milio, li	

		•
		•
		*
		,
·		
	•	

INTERNATIONAL SEARCH REPORT

tion on patent family members

etional Application No PCT/EP 00/09197

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
US 4621170	A	04-11-1986	FR	25188	58 A	24-06-1983
•			AR	2310	43 A	31-08-1984
			AU	91502	82 A	30-06-1983
			BR	82073		18-10-1983
			DK	5639	82 A	24-06-1983
			ΕP	00827	91 A	29-06-1983
			ES	5183	57 D	16-07-1984
			ES	84061	41 A	16-10-1984
			IN	1578	38 A	05-07-1986
			JP	581145	61 A	07-07-1983
			MX	1524	13 A	10-07-1985
			OA	72	85 A	31-08-1984
			ZA	82094	94 A	28-09-1983
EP 0520680	A	30-12-1992	US	51873	 29 A	16-02-1993
			AU	6456	96 B	20-01-1994
			AU	18477	92 A	11-03-1993
			CA	20714	07 A	29-12-1992
			CN	10686	74 A,B	03-02-1993
			JP	28469		13-01-1999
			JP	62516		09-09-1994
			MX	92036		01-12-1992
			NO	3036		10-08-1998
			NZ	2432		26-10-1995
			US	53147	12 A	24-05-1994
US 5852635	A	22-12-1998	US	56776	== 51 A	14-10-1997
			US	56149		25-03-1997
			US	59955	49 A	30-11-1999



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 29 March 2001 (29.03.2001)

PCT

(10) International Publication Number WO 01/22615 A1

(51) International Patent Classification7:

H04B 3/54

(21) International Application Number:

PCT/EP00/09197

(22) International Filing Date:

18 September 2000 (18.09.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

199 44 697.0 100 02 227.8 18 September 1999 (18.09.1999) DE 20 January 2000 (20.01.2000) DE

(71) Applicant (for AT, BE, CH, CN, CY, DK, ES, FI, FR, GB, GR, IE, IT, JP, KR, LU, MC, NL, PT, SE only): KONIN-KLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).

(71) Applicant (for DE only): PHILIPS CORPORATE IN-TELLECTUAL PROPERTY GMBH [DE/DE]; Habsburgerallee 11, 52066 Aachen (DE). (72) Inventors; and

(75) Inventors/Applicants (for US only): WENDT, Matthias [DE/NL]; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). BUDDE, Wolfgang [DE/NL]; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). FUHRMANN, Peter [DE/NL]; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

(74) Agent: VON LAUE, Hanns-Ulrich; Internationaal Octrooibureau B.V., Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

(81) Designated States (national): CN, JP, KR, US.


(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published:

- With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NETWORK CONNECTION



(57) Abstract: In a network connection comprising at least two wires (1, 2) for electrically connecting network users (3, 4, 5, 6, 7) in a network, joint data transmission and energy transfer from a terminal of a voltage source via the two wires of the network connection is ensured in that the network connection has a symmetrical structure and the two wires (1, 2) are twisted, in that the wires (1, 2) are mutually insulated to such an extent (13; 21, 22; 34; 35) that they are suitable for a symmetrical, differential data transmission, and in that the two wires (1, 2) have the same electrical resistance and jointly have a cross-section which is suitable for energy transfer from a terminal of a voltage source to network users (3, 4, 5, 6) via both wires (1, 2).

10 01/22615 A1

THIS PAGE BLANK (USPTO)

10

15

20

25

The invention relates to a network connection comprising at least two wires for electrically connecting network users in a network.

Known network connections are constructed in such a way that they are suitable for data transmission through the two wires of the network connection. This has the drawback that both terminals of an energy power supply for the network users are to be realized via separate electric connections.

It is an object of the invention to provide a network connection which is suitable for both data transmission and energy transfer.

According to the invention, this object is solved in that the network connection has a symmetrical structure and the two wires are twisted, in that the wires are mutually insulated to such an extent that they are suitable for a symmetrical, differential data transmission, and in that the two wires have the same electrical resistance and jointly have a cross-section which is suitable for energy transfer from a terminal of a voltage source to network users via both wires.

In this network connection, data can be transmitted through the two wires. Moreover, the energy transfer can jointly take place through the two wires in that a terminal of a voltage source is coupled to the two wires so that energy transfer to the network users can take place through these wires.

For the energy transfer, the two wires jointly have such a cross-section that they are suitable for the currents flowing in response to the energy transfer.

The data transmission is advantageously realized symmetrically and differentially. To this end, the two wires are mutually insulated. This insulation should only be sufficient for the relatively low data transmission voltages. It should particularly not be suitable for relatively high voltages of a power supply for the network users, because only one pole of a voltage source is jointly coupled through the two wires.

Moreover, the two wires have the same electrical resistance in order that the symmetrical differential data transmission through the two wires has the same resistance. Moreover, the data transmission is thus not disturbed by the potential jumps which may occur as a result of the energy transfer.

The network connection has a symmetrical construction. This results in a high attenuation of disturbances of the power supply lines, which is achieved via a cancelling means ("Auslöschung").

To achieve a satisfactory decoupling with respect to external electric and magnetic fields, the two wires are advantageously twisted. This results in an improved mutual magnetic coupling of the two wires, which contributes to the signal-to-noise ratio of the data transmission.

5

10

15

20

25

30

Since the load current for the energy supply is jointly passed through the two wires of the network connection, it is not desirable to use additional copper for this purpose. The overall cross-section of the two wires must only be chosen to be as large as the cross-section of a wire of a separate cable connection for the energy transfer.

For the insulation between the two wires, a thin, inexpensive insulation is admissible because, on the one hand, only the low data transmission voltages are to be insulated and, on the other hand, only the communication rather than the energy supply drops out, even in the case of a failing insulation.

As described in an embodiment as defined in claim 2, only one of the wires may be provided with an insulation for this purpose.

Since the insulation can be formed in a relatively simple manner, a lacquer coating, a synthetic material coating or a tubing may be provided as insulations, as described in further embodiments of the invention.

When stranded wires are used, they can be advantageously insulated by means of a cladding of one of the stranded wires or by means of an insulation between the two stranded wires, as described in a further embodiment of the invention as defined in claim 6.

The network connection according to the invention may also be in a double form, as defined in claim 7. A pole for the energy supply is then coupled via one of the network connections. The data transmission may be realized in a redundant form through the two network connections so that the transmission reliability is enhanced.

To simplify a contact of the network connection, for example, to a network coupler, the outer insulation and the twisting of the wires may be advantageously formed as defined in claim 8.

The network connection according to the invention can be advantageously used in vehicles in which a pole for the power supply is coupled via the chassis of the vehicle. Then, both the data transmission and the power supply for the other pole can take

place via the network connection according to the invention. An additional cable connection with two wires for the power supply can then be dispensed with.

These and other aspects of the invention are apparent from and will be elucidated with reference to the embodiments described hereinafter.

5

10

In the drawings:

Fig. 1 shows a network comprising a plurality of network users, among which a network connection according to the invention is established,

Fig. 2 is a cross-section through a first embodiment of a network connection according to the invention, in which only one wire is insulated,

Fig. 3 is a cross-section through a second embodiment of a network connection according to the invention, in which both wires are provided with a thin lacquer coating, and

15

20

25

Fig. 4 is a cross-section through a third embodiment of a network connection according to the invention, in which the wires are formed as stranded wires.

Fig. 1 shows a network connection according to the invention, with two wires 1 and 2. The network connection has a star-shaped configuration and interconnects a plurality of network users 3, 4, 5 and 6. A further network user 7 is provided which is coupled to a terminal of a voltage source U_B and couples this terminal into the two wires 1 and 2 of the network connection.

Via network couplers 8, the network users 3, 4, 5 and 6 are capable of coupling out the required energy symmetrically from the two wires 1 and 2 of the network connection. Furthermore, the network users 3, 4, 5 and 6 transmit data via the two wires 1 and 2 of the network connection according to the invention, which is coupled in and coupled out via the network couplers and is formed in such a way that the data are transmitted symmetrically and differentially through the two wires 1 and 2.

30

The other terminal of the voltage source U_B may be connected, for example, to the chassis of the vehicle comprising the network users 3 to 7.

The circuit diagram shown in Fig. 1 illustrates that an additional cable connection with two wires for the transfer of energy may be dispensed with in the network connection according to the invention. One terminal for the power supply is coupled via the

WO 01/22615 PCT/EP00/09197

two wires 1 and 2 of the network connection according to the invention, and the other terminal is coupled via the chassis of the vehicle.

Due to the specific construction of the two wires 1 and 2 of the network connection according to the invention, which will be further described hereinafter, these wires 1 and 2 are also simultaneously suitable for a symmetrical, differential data transmission.

5

10

15

20

25

30

This is particularly achieved in that the two wires 1 and 2 are symmetrical and the energy is transferred symmetrically through the two wires. Disturbances caused by the energy transfer thus do not affect the data transmission, because the differential, symmetrical transmission cancels the disturbances during the evaluation of the data transmission.

The two wires 1 and 2 are mutually twisted so as to achieve a satisfactory decoupling from external electric magnetic fields. Moreover, the magnetic coupling between the two wires is thereby improved.

The mutual insulation of the two wires may be relatively simple and thin because this insulation should only insulate the relatively low data transmission voltages. Since a pole for the power supply is jointly coupled through the two wires, these relatively high currents or voltages do not require insulations between the wires.

Fig. 2 is a cross-section through a first embodiment 11 of a network connection according to the invention, with two wires 1 and 2. The two wires have the same cross-section and are electrically constructed in such a way that they have the same resistance.

In the embodiment shown in Fig. 2, only one of the wires, namely the wire 1, is provided with a thin outer insulation 13. This insulation 13 may be, for example, an insulating tubing or a lacquer coating. This insulation 13 should only be formed in such a way that it is adequate for the opposite data transmission voltages occurring in the two wires 1 and 2, which voltages are, however, relatively small.

Furthermore, a joint outer insulation 16 is provided.

The two wires 1 and 2 are mutually twisted in a way which is not further shown in Fig. 2.

To make optically optimal connection points, for example, for network couplers or the like visible in the network connection, the outer insulation 16 may be advantageously formed in such a way that the position of the two wires 1 and 2 in the network connection is visible, i.e. the twisting is recognizable from the exterior. Moreover,

WO 01/22615 PCT/EP00/09197

the twisting of the two wires may be advantageously interrupted so as to provide optimal connection points on the two wires 1 and 2.

The cross-section through the first embodiment of the network connection according to the invention, as shown in Fig. 2, illustrates that both a data transmission and a terminal for a voltage source can be established via a network connection which is actually built up in a relatively simple manner, in which even the mutual insulation of the wires may be relatively simple.

5

10

15

20

25

30

This is also shown by a second embodiment shown also in a cross-section in Fig. 3 of a network connection according to the invention which also comprises two wires 1 and 2. However, in the second embodiment shown in Fig. 3, both wires 1 and 2 are provided with a thin outer insulation 21 and 22, respectively. For example, a thin lacquer coating which can be provided in a relatively easy way is sufficient for this purpose. Basically, this insulation may also consist of a synthetic material coating. It is alternatively possible to slide, for example, thin tubings on one or both wires 1 and 2.

The complete network connection is surrounded by an outer insulation 21.

Fig. 4 also shows, in a cross-section, an embodiment of a network connection according to the invention, in which the two wires 1 and 2 are constituted by stranded wires 32 and 33.

In Fig. 4A, the stranded wires 32 and 33 are mutually separated and insulated by means of an insulation 34. The complete stranded wires 32 and 33 are embedded in an insulation 35 so that they cannot move with respect to each other, and the insulation 34 ensures a safe insulation of the two stranded wires 32 and 33 forming part of the two wires 1 and 2.

Fig. 4B is similar to Fig. 4A, showing wires 1 and 2 constituted by stranded wires 32 and 33. However, in this case, not only an insulation 34 as in Fig. 4A is provided but also a cladding for one of the stranded wires. In the embodiment shown in Fig. 4B, the stranded wires 33 of the second wire 2 are completely insulated from the exterior by this cladding 36. Here again, the two stranded wires 32 and 33 are embedded in an outer insulation 35.

All embodiments shown in the Figures show that the network connection according to the invention may have a relatively simple structure because only a simple insulation between the wires 1 and 2 is required. Nevertheless, it is suitable for data transmission as well as for energy transfer.

CLAIMS:

5

- 1. A network connection comprising at least two wires (1, 2) for electrically connecting network users (3, 4, 5, 6, 7) in a network, characterized in that the network connection has a symmetrical structure and the two wires (1, 2) are twisted, in that the wires (1, 2) are mutually insulated to such an extent (13; 21, 22; 34; 35) that they are suitable for a symmetrical, differential data transmission, and in that the two wires (1, 2) have the same electrical resistance and jointly have a cross-section which is suitable for energy transfer from a terminal of a voltage source to network users (3, 4, 5, 6) via both wires (1, 2).
- 2. A network connection as claimed in claim 1, characterized in that only one wire (1; 2) in the network connection is provided with an insulation (13; 21).
 - 3. A network connection as claimed in claim 2, characterized in that only one of the wires (1; 2) in the network connection is provided with a lacquer coating (21) used as an insulation.
 - 4. A network connection as claimed in claim 2, characterized in that only of the wires (1; 2) in the network connection is provided with a synthetic material coating (13) used as an insulation.
- 20 5. A network connection as claimed in claim 2, characterized in that only one of the wires (1; 2) in the network connection is surrounded by a tubing used as an insulation.
- 6. A network connection as claimed in claim 1, characterized in that the wires (1, 2) in the network connection are formed as stranded wires (32, 33), and in that said stranded wires (32, 33) are mutually insulated by means of an insulation (34) or a cladding (36) of one of the stranded wires (32, 33).

WO 01/22615 PCT/EP00/09197

- 7. A network connection as claimed in claim 1, characterized in that the network connection with two wires (1, 2) each has a double form, and in that the two network connections are twisted.
- A network connection as claimed in claim 1, characterized in that the outer insulation (16; 25; 35) of the network connection is formed in such a way that the position of the two wires (1, 2) in the network connection is visible and in that the twisting of the two wires (1, 2) is interrupted.
- 9. Use of a twisted double cable as a network connection in a network, in which both a symmetrical, differential data transmission via the two wires (1, 2) and an energy transfer from a terminal of a voltage source via the two wires (1, 2) of the network connection is realized.
- 15 10. Use of a cable having at least two wires (1, 2) for electrically connecting network users (3, 4, 5, 6, 7) in a network, wherein the network connection has a symmetrical structure and the two wires (1, 2) are twisted, the wires (1, 2) being mutually insulated to such an extent (13; 21, 22; 34; 35) that they are suitable for a symmetrical, differential data transmission, the two wires (1, 2) having the same electrical resistance and jointly having a cross-section which is suitable for energy transfer from a terminal of a voltage source to network users (3, 4, 5, 6) via both wires (1, 2).
- 11. Use of a network connection as claimed in any one of claims 1 to 8, wherein the positive terminal is coupled to the network users via the network connection, and wherein the negative terminal of the voltage source is coupled to the network users via the chassis of the vehicle.

--- · to we




FIG. 1

. •

2/3




FIG. 2




FIG. 3




FIG. 4A





FIG. 4B



ernational Application No PCT/EP 00/09197

A. CLASSI	FICATION OF SUBJECT MATTER		
IPC 7	H04B3/54		
	-		
According to	o International Patent Classification (IPC) or to both national classific	ation and IPC	
	SEARCHED		
Minimum do	currentation searched (classification system followed by classificat HO4B HO1B	ion symbols)	
1110 /	NO4D NOID		
			~
Documental	ion searched other than minimum documentation to the extent that	such documents are included in the fields se	arched
			· -
Fi			
1	ata base consulted during the international search (name of data ba	ase and, where practical, search terms used	
EPO-In	ternal, WPI Data, PAJ		
		.e. =	
C. DOCUMI	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the re	levant passages	Relevant to claim No.
X	US 4 621 170 A (PICANDET JEAN A)	·	1-11
	4 November 1986 (1986-11-04)	1	
	column 2, line 25 - line 40		-
	column 5, line 10 - line 53	j	
_			
Α	EP 0 520 680 A (AMERICAN TELEPHO		1-11
	TELEGRAPH) 30 December 1992 (1992	2-12-30)	
	abstract		
	HC F OFO 63F A (CDANE DONALD C)		_
Α	US 5 852 635 A (CRANE RONALD C)		1
	22 December 1998 (1998-12-22) abstract	•	
	abstract		
		·	
\Box			
Furth	er documents are listed in the continuation of box C.	Patent family members are tisted i	n annex.
° Special car	tegories of cited documents :		<u> </u>
	nt defining the general state of the art which is not	*T later document published after the inter- or priority date and not in conflict with the conflict	he application but
	ered to be of particular relevance	cited to understand the principle or the invention	ory underlying the
"E" earlier d	locument but published on or after the international ate	"X" document of particular relevance; the ci	aimed invention
'L' docume	nt which may throw doubts on priority claim(s) or	cannot be considered novel or cannot involve an inventive step when the doc	be considered to
	is cited to establish the publication date of another or other special reason (as specified)	"Y" document of particular relevance; the ci	aimed invention
"O" docume	ent referring to an oral disclosure, use, exhibition or	cannot be considered to involve an inv document is combined with one or mo	re other such docu-
other n	neans nt published prior to the international filing date but	ments, such combination being obviou in the art.	s to a person skilled
	an the priority date claimed	"&" document member of the same patent f	amily
Date of the a	actual completion of the international search	Date of mailing of the international sea	rch report
	·		-
30	November 2000 -	07/12/2000	
Name and	nailing address of the ISA		
ចានេ ធារក័ ដ	European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL – 2280 HV Rijswijk Tel. (+31−70) 340–2040, Tx. 31 651 epo nl.		
	Fac: (+31-70) 340-3016	De Iulis, M	



Information on patent family members

ernational Application No PCT/EP 00/09197

Patent document cited in search repor	t	Publication date		Patent family member(s)	Publication date
US 4621170	· A	04-11-1986	FR	2518858 A	24-06-1983
			AR	231043 A	31-08-1984
			AU	9150282 A	30-06-1983
			BR	8207393 A	18-10-1983
			DK	563982 A	24-06-1983
			EP	0082791 A	29-06-1983
			ES	518357 D	16-07-1984
			ES	8406141 A	16-10-1984
•			IN	157838 A	05-07-1986
			JР	58114561 A	07-07-1983
			MX	152413 A	10-07-1985
			· OA	7285 A	31-08-1984
			ZA	8209494 A	28-09-1983
EP 0520680	Α	30-12-1992	US	5187329 A	16-02-1993
			AU	645696 B	20-01-1994
		•	AU	1847792 A	11-03-1993
			CA	2071407 A	29-12-1992
			CN	1068674 A,	3 03-02-1993
			JP	2846997 B	13-01-1999
•			JP	6251641 A	09-09-1994
			MX	9203601 A	01-12-1992
			NO	303658 B	10-08-1998
-			NZ	243266 A	26-10-1995
			US	5314712 A	24-05-1994
US 5852635	Α	22-12-1998	US	5677651 A	14-10-1997
			US	5614905 A	25-03-1997-
			US	5995549 A	30-11-1999





ernational Application No

			TCI/EF 00/	09197
A. CLASSIF	FICATION OF SUBJECT MATTER H04B3/54			
-,				
A coording to	International Patent Classification (IPC) or to both national classifica	ation and IPC		
B. FIELDS		alon aloure		
Minimum do	currentation searched (classification system followed by classification	on symbols)		
IPC 7	H04B H01B			
			indeed in the Solds on	
Documentan	ion searched other than minimum documentation to the extent that s	uch documents are inci	aced in the news se	
Cleaternia de	ata base consulted during the international search (name of data bas	o and whom prodice	L soarch torms used	,
	ternal, WPI Data, PAJ	se and, where practica	t search terms used	,
ELO-III	ternar, wir bata, rao			
0.0001045	ENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the rek	evant passages		Relevant to claim No.
X	US 4 621 170 A (PICANDET JEAN A)			1-11
	4 November 1986 (1986-11-04)			•
	column 2, line 25 - line 40 column 5, line 10 - line 53			
_	,			
Α	EP 0 520 680 A (AMERICAN TELEPHON TELEGRAPH) 30 December 1992 (1992			1-11
	abstract	. 12 30)		
	US 5 852 635 A (CRANE RONALD C)			1
Α	22 December 1998 (1998-12-22)			1
	abstract			
			•	
Furth	ner documents are tisted in the continuation of box C.	X Patent family	members are listed	in annex.
° Special car	tegories of cited documents :	"T" later document pul	olished after the inte	rnational filing date
	ent defining the general state of the art which is not ered to be of particular relevance	or priority date an cited to understar	d not in conflict with ad the principle or the	the application but
	socument but published on or after the international	invention *X* document of partic		
"t " docume	int which may throw doubts on priority claim(s) or	involve an inventi		cument is taken alone
citation	n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or		ered to involve an in	taimed invention ventive step when the ore other such docu-
other n				us to a person skilled
	an the priority date claimed	*& document member	r of the same patent	family
Date of the	actual completion of the international search	Date of mailing of	the international sea	arch report
3(O November 2000	07/12/2	2000	
Name and n	nailing address of the ISA	Authorized officer		
	European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk			
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	De Iuli	is, M	



INTERNATIONAL SEARCH REPORT

Information on patent family members

ernational Application No PCT/EP 00/09197

Patent document cited in search repo	rt	Publication date	Patent family member(s)		Publication date	
US 4621170	A	04-11-1986	FR	2518858 A	24-06-1983	
	••	0. 11 1500	AR	231043 A	31-08-1984	
			AU	9150282 A	30-06-1983	
		•	BR	8207393 A	18-10-1983	
			DK	563982 A	24-06-1983	
			EP	0082791 A	29-06-1983	
			ES	518357 D	16-07-1984	
			ES	8406141 A	16-10-1984	
			IN	157838 A	05-07-1986	
			JP	58114561 A	07-07-1983	
			ΜX	152413 A	10-07-1985	
			OA	7285 A	31-08-1984	
			ZA	8209494 A	28-09-1983	
EP 0520680	Α	30-12-1992	US	5187329 A	16-02-1993	
			ĀŪ	645696 B	20-01-1994	
			AU	1847792 A	11-03-1993	
			CA	2071407 A	29-12-1992	
			CN	1068674 A,B	03-02-1993	
			JP	2846997 B	13-01-1999	
			JP	6251641 A	09-09-1994	
			MX	9203601 A	01-12-1992	
		, -	NO	303658 B	10-08-1998	
		•	NZ	243266 A	26-10-1995	
		· · · · · · · · · · · · · · · · · · ·	US	5314712 A	24-05-1994	
US 5852635	Α	22-12-1998	US	5677651 A	14-10-1997	
			US	5614905 A	25-03-1997	
			US	5995549 A	30-11-1999	



Europäisches Patentamt European Patent Office Office européen des brevets



(1) Publication number:

0 520 680 A2

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 92305578.4

(a) Int. Cl.5: **H01B** 11/00, H01B 13/02

2 Date of filing: 18.06.92

3 Priority: 28.06.91 US 722786

Date of publication of application: 30.12.92 Bulletin 92/53

Designated Contracting States:
DE ES FR GB IT NL SE

- 71 Applicant: AMERICAN TELEPHONE AND TELEGRAPH COMPANY 550 Madison Avenue New York, NY 10022(US)
- 2 Inventor: Bleich, Larry Lynn
 13517 Hascall Street
 Omaha, Nebraska 68144(US)
 Inventor: Nutt, Wendell Glenn
 5060 Vernon Springs Dr.
 Dunwoody, Georgia 30338(US)
 Inventor: Zerbs, Stephen Taylor
 RR No.1,
 Gretna, Nebraska 68028(US)
- Representative: Johnston, Kenneth Graham et al AT&T (UK) Ltd. 5 Mornington Road Woodford Green Essex, IG8 OTU(GB)
- (Se) Twisted pairs of insulated metallic conductors for transmitting high frequency signals and methods of making.
- 57) Methods and apparatus are provided for providing an electrically matched pair (20) of insulated metallic conductors (21, 21). Insulation is applied to successive portions of a length of wire-like metallic conductor (22) after which a colorant material (37) is applied to the surface of a plastic insulation material of a first portion of the length of the metallic conductor which is being moved along a path of travel. Facilities are provided for shielding a supply of the colorant material from the moving insulated metallic conductor and for then exposing a second portion of the length of the insulated metallic conductor to a different colorant material. The insulation and the colorant materials and their disposition with respect to the insulation are such that the dielectric constant of one insulated metallic conductor of the pair is substantially equal to that of the other. The first and second portions of the length of the insulated metallic conductor are separated from each other and are twisted together to provide an electrically matched

pair.

FIG.

15

25

30

45

Technical Field

This invention relates to twisted pairs of insulated metallic conductors for transmitting high frequency signals and methods of making same.

Background of the Invention

A technical objective, that is also economically important, is to be able to make a cable comprising a twisted insulated metallic conductor pair or pairs as small as possible that is capable of transmitting data at a maximum rate. In order to provide a twisted pair cable being capable of transmitting digital signals at the highest rate for the maximum distance and also being as small as possible, insulating material with relatively low dielectric constant and low power factor is sought for the metallic conductor.

The advantages of relatively high bit rate transmission can be realized only if electrically balanced pairs can be produced. Pair balance means that one insulated conductor of a pair should be substantially identical to the other -- a difficult objective. In addition to good pair balance, maximizing both bit rate transmission and distance capability requires suitable crosstalk control. This carries with it a need for short pair twists which enhance the electrical characteristics of the pair as well as preventing the pairs from becoming untwisted.

Also desired is the ability to distinguish one conductor of a pair from another by sight. There is a basic conflict between the sight coding of insulated conductors and pair balance needed to provide electrically matched pairs. Sight coding involves making one insulated conductor of a pair appear differently from the other insulated conductor of the same pair. Striving for the required pair balance involves making one insulated conductor of a pair identical in every respect except appearance to the other conductor. The very best pair balances have been achieved with electrically matched pairs, i.e. the two insulated conductors of a pair taken successively from a single length of wire on the same insulating manufacturing line. Although electrically matched pairs produce the very best pair balance, the two resulting conductors have had the same color thereby making it impossible to sight distinguish between them.

Of importance with respect to colored insulation are electrical properties of cable which include such insulated conductors. One electrical property is capacitance. Capacitance is an effect somewhat similar to the magnetic field known to exist around a current-carrying conductor. The capacitive effect results from electrostatic charges on adjacent surfaces, such as metallic conductors in a pair or pairs. Electronic wires and cables by nature de-

velop capacitive effects whenever current is flowing. Although it is impossible to eliminate capacitance, certain factors can be adjusted to achieve an acceptable level.

It is known that the inclusion of different colorant pigments in the composition of the insulation for purposes of distinguishing one conductor of a pair from the other compromises the electrical properties of the insulated conductor discussed hereinbefore. Conductor insulation which has a pigment dispersed throughout adversely affects electrical properties such as capacitance. Pigments of different color concentrates affect capacitance and processing differently. Achieving lower capacitance values has resulted in higher manufacturing costs whereas higher values cause increased attenuation.

The problems of the application of colorant materials to a moving insulated metallic conductor and of the effect of pigments dispersed throughout the insulation on electrical properties of the insulated conductor have been solved by the application of a colorant material to the surface of a moving insulated conductor which may be referred to as topcoating, for example. See U.S. patent 4,877,645.

Topcoating materially reduces scrap rates because the coloring is applied to the outside of the just-insulated conductor and therefore obviates the need to adjust insulating conditions for different colors and also the wasteful purging of an extruder for a color change.

With topcoating, it may be necessary first to tint the insulation with white color concentrates to hide the copper conductor. Here, it may be noted that copper wire can vary significantly from the familiar bright, shiny copper color to a dark, purplish brown. Because many desirable insulating materials are fairly transparent, providing a constant white base is helpful in achieving bright, easily distinguished colors. Placed on a white plastic material, for example, a topcoating satisfactorily produces readily distinguishable colors with acceptable adherence to the insulation and can be produced with acceptable processing yields.

The state of the art then is that there exist excellent materials which may be used for insulation as well as methods for causing these conductors to be identifiable. These materials and methods of coloring are advances in the quest for insulated metallic conductors which can transmit digital signals over long distances at the highest rate.

What is sought after and what seemingly is not provided for in the prior art is an electrically matched insulated metallic conductor pair in which the two insulated conductors of a pair are distinguishable. Desirably the matched pair is made from successive portions of a single length of me-

15

20

25

30

35

40

50

55

tallic wire which is processed in sequential steps on an insulating line. Further what is sought after is a differentiation between the conductors of the pair without adversely affecting electrical properties of the insulated metallic conductors.

3

Summary of the Invention

The foregoing problems of the prior art have been overcome by the electrically matched insulated metallic conductor twisted pair as set forth in claim 1. A method of making such an insulated conductor is set forth in claim 8.

Brief Description of the Drawing

FIG. 1 is an end cross sectional view of an insulated metallic conductor twisted pair which has been enclosed with plastic insulation material and provided with a surface colorant;

FIG. 2 is an electrical schematic representation of two conductors and a shield and showing the capacitance between metallic elements thereof;

FIG. 3 is a schematic view of a manufacturing line for making a continuous length of insulated metallic conductor having successive portions thereof colored differently;

FIG. 4 is a perspective view of apparatus for applying a colorant material to a moving insulated metallic conductor;

FIG. 5 is an enlarged view of one of a plurality of nozzles for supplying a colorant material to a moving insulated metallic conductor;

FIG. 6 is a perspective view of an arrangement of two sets of nozzles for applying a colorant material to a moving insulated metallic conductor; and

FIG. 7 is a front elevational view of a colorant application apparatus which includes provisions for changing colorant materials which are applied to a moving insulated metallic conductor.

Detailed Description

Referring now to FIG. 1, there is shown an electrically matched insulated metallic conductor twisted pair designated generally by the numeral 20. The twisted pair 20 includes two identifiable insulated metallic conductors 21-21, each including a metallic conductive portion 22, which have been twisted together with a desired twist length. Each insulated conductor of the pair is visually distinguishable from the other conductor of the pair.

Capacitance balance or unbalance of twisted pairs has long been studied in connection with combating interferences to voice and carrier frequencies. However, one aspect of capacitance balance, balanced dielectric constant, becomes increasingly important as the transmitted frequencies increase. Twisted pairs now are to be used to transmit 100 megabit per second Fiber Distributed Data Interface (FDDI) signals and have been shown to be suitable to transmit one gigabit per second signals. It will be of importance in transmitting these frequencies that the distinguishable insulations of the two conductors of a pair have nearly identical dielectric constants.

Referring now to FIG. 2 the mutual capacitance of an insulated metallic conductor pair is the sum of the capacitance of one conductor to the other, Cp, and the series combination of the capacitance of each conductor to earth. The capacitance of one conductor of the pair to the other conductor, is important but does not contribute to the capacitance to earth. A twisted pair is said to have perfect capacitance balance if the capacitance of one conductor to earth,

CG,

is equal to the capacitance of the other conductor to earth,

 $C_{G_{\bullet}}$.

Assuming that the elements of the pair are circular and concentric, the capacitance to earth is a function of the conductor diameter, the insulation diameter, the distance of the pair to ground or to a shield, and the dielectric constant of the insulation. From voice frequencies to about 100 kHz, simple capacitance balance is adequate to cancel interferences. However, differences in the dielectric constant of the insulations of the two conductors become increasingly important, possibly even controlling, as the transmitted frequencies increase and as the series combination of the capacitance of each conductor to earth increases.

The importance of equal dielectric constant between insulated conductors of a pair is a function of two parameters, i.e. the system in which the pair is to be used and the pair design. As will be discused hereinafter, a measure of the system importance is the number of wavelengths between a signal source and a receiver.

With regard to pair design, equal dielectric constant of the insulations of the two conductors is least important in designs in which most of the mutual capacitance is due to the capacitance between conductors and is most important in designs in which most of the mutual capacitance is due to the capacitances of the conductors to ground. In other words, the sensitivity of a design to variation in dielectric constant is measured by the ratio

15

25

30

40

45

50

55

C_{G_1}/C_D or C_{G_2}/C_D .

An unshielded twisted pair suspended in air represents a design least susceptible to dielectric constant variations. An individually shielded pair represents a design most susceptible to these variations. While the two extreme designs may differ by an order of magnitude in their susceptibility, uniform dielectric constant becomes important for any twisted pair design when transmitting at very high bit rates. The greater the proportion of mutual capacitance that is due to the series combination of capacitance of each conductor to earth, the more important it becomes to have equality between the dielectric constants of the conductor insulation covers of a twisted pair.

A pair design which has mutual capacitance consisting solely of capacitance to ground without any direct conductor-to-conductor capacitance may be formed by twisting together two coaxial cables. It is well known that a high frequency signal in a coaxial cable propagates at the velocity of light divided by the square root of the dielectric constant. Consider two cases. The first is one in which the frequency and the distance between signal source and receiver are such that there are 10 wavelengths in the span, and the second is one in which the frequency and distance between signal source and receiver are such that there are 100 wavelengths in the span. In the first case there is 3,600° of phase shift between source and receiver. In the second case there is 36,000° of phase shift between source and receiver. If a phase difference of, say, 6° is critical, the first system requires that the signal velocities of the two conductors be matched to 6/3,600, or one part in 600. The second system requires that the signal velocities be matched to 6/36,000 or one part in 6000. Thus, it is clear that the greater the number of wavelengths between signal source and receiver, the more critical becomes the match between the phase velocities, and therefore the dielectric constants, of the two insulated conductors of a pair.

Good pair balance entails the same ratio of the diameter of the insulated conductor to the diameter of the metallic conductor for both insulated conductors and substantially the same dielectric constant, both of which are achieved with the present invention. A uniform dielectric constant is especially critical because each conductor of the pair carries half the signal and each half must maintain its phase with respect to the other half. A uniform dielectric constant may be achieved by causing the conductor insulation and any distinguishment means such as colorant material to be uniform along the two lengths which comprise the twisted pair.

Going now to FIG. 3, a wire-like metallic conductor 22 is moved along an insulating line 23 from a supply reel 24 and advanced through a drawing apparatus 25 wherein the diameter of the wire is reduced. Thereafter, it is annealed in an annealer 26, then cooled and reheated to a desired temperature after which is it moved into and through an extruder 28.

In the extruder 28, a plastic insulating material is applied to the moving wire to enclose it to provide an insulated metallic conductor 30. The details of the structure of the drawing apparatus, annealer and extruder are all well known in the art and do not require elaboration herein. Afterwards, the plastic insulated wire is moved through a cooling trough 31 by a capstan 33 and onto a takeup 35. A conventional marking device 32 may be used to apply a band marking to the insulation.

Desirably, the insulating material is a clear or neutral color or a white color plastic fluoropolymer material. With these criteria in mind, Teflon® plastic material is clearly an example of one of the best available insulation materials. Also, it is an excellent material in terms of strength, resistance to chemical attack and fire retardancy. In the preferred embodiment, the insulating material may be perfluoroalkoxytetrafluoroethylene (PFA), fluorinated ethylene-propylene (FEP) or ethylene tetrafluoroethylene copolymer (ETFE).

Teflon plastic material can be pigmented with a white color concentrate. Some advantages of having only a white color insulation are ease of processability, ease of coloring, hiding power of copper variability and uniformity of electrical properties. Some color concentrates other than white are more difficult to process. Also, a complete palette of colors made using color concentrates would entail unwanted variations in dielectric properties

There are insulation materials other than Teflon plastic which will benefit from this manufacturing process and will provide similar electrical advantages. Other such insulation materials include polyethylene, polypropylene, and HALAR® fluoropolymer.

Teflon plastic material has proven difficult to color by pigmenting throughout the insulation with color concentrates. Color concentrates for colors that present the most problems have two melt phases. If temperatures are raised enough to obtain complete melting, gases are produced; at lower temperatures, small unmelted chunks appear as inclusions in the insulation.

Variability between different colored color concentrates, which typically have been included in the insulation, causes variations in capacitance. However, the greater the distance from the metallic conductor, the less effect there is on the capaci-

25

30

45

tance. Thus, pigment variability for a topcoated insulated conductor has an insignificant effect on the capacitance of the pair because of the distance of the surface coating to the metallic conductors.

Between the extruder 28 and the takeup 35, a colorant material 37 (see FIG. 1) is applied such as in a layer to an outer surface the plastic insulated wire and provide an identifiable insulated conductor 21. The location along the line 23 where it is applied depends on the kind of plastic material comprising the extrudate. Inasmuch as in the preferred embodiment, the insulation comprises a fluoropolymer, which is non-porous, the colorant material is applied at a location between the extruder 28 and the cooling trough 31.

Notwithstanding its location, a colorant material application apparatus 40 is included in the line 23 and is effective to apply a colorant material to cover substantially the entire surface area of the moving insulated conductor 30. Advantageously, the application apparatus 40 is a non-contact device. Preferably, the colorant material is an ink such as No. 3516, for example, commercially available from GEM Gravure Co. of West Hanover, Mass.

As can best be seen in FIG. 4, the apparatus 40 includes a manifold head 42 which is connected to a source of supply (not shown) of colorant material. The manifold head 42 has an annular shape to allow the plastic insulated conductor to be advanced therethrough. Extending from one side of the manifold head 42 are a plurality of tubular support members 44-44 which are connected through the manifold head to the source of supply. Attached to each tubular member 44 is a nozzle 46 which has an entry port that communicates with the passageway through its associated tubular member.

Each nozzle 46 is one which is adapted to provide a particular spray pattern of the colorant. Preferably the nozzle 46 emits colorant material therefrom in a single plane or sheet 45 (see FIGS. 4 and 5).

Also, each nozzle 46 is positioned on its associated tubular member to emit its spray in a plane which is at a particular angle α (see FIG. 5) to the path of travel of the plastic insulated wire. The angle α is such that the spray has a component parallel to the path of travel of the insulated wire but in a direction opposite to the direction of movement of the insulated wire. Preferably, that angle α is in the range of about 105° to 135°. Because of the direction of the spray pattern, the velocity components tend to provide a smoothing action on the ink and thereby prevent excessive buildup. The result is a surface having a substantially uniform coating thereon.

It should be also observed that in addition to

the predetermined angle at which the nozzles are disposed, there are other factors about their positions which are important (see again FIGS. 4 and 5). First, the nozzles are staggered along the path of travel of the plastic insulated wire. The staggered arrangement prevents interference among the spray patterns. Secondly, the nozzles are generally equiangularly spaced about the periphery of the plastic insulated wire. Thirdly, each of the nozzles is spaced about one half inch from the path of travel of the insulated wire. It has been found that as the distance increases beyond one half inch, less coverage of the plastic insulation with the ink is experienced.

Movement of the nozzles toward or away from the insulated wire 21 may be accomplished with an arrangement depicted in the aforementioned U.S. patent 4,877,645.

The nozzles 46-46 also are advantageous from another standpoint. Important to the uniform coating of the plastic insulation is its improved stability against undesired undulations as it is advanced through the applicator apparatus. It has been found that because of the spray patterns emitted from the nozzles 46-46, the plastic insulated wire is substantially free of any undulations from its desired path. It should be observed from the drawings that the nozzles 46-46 are disposed between the manifold head 42 and the takeup. It has been found that the coloring operation is enhanced by disposing a second plurality 51 of spray nozzles (see FIG. 6) between the manifold head 42 and the extruder 28. Each of the nozzles of the second plurality 51 is designated by the numeral 50.

Unlike the nozzles 46-46, each of the nozzles 50-50 provides a solid cone-shaped spray pattern 53 of the colorant material. Each nozzle 50 provides a uniform spray of medium to large size droplets. Such a nozzle is commercially available, for example, from the Spraying System Company of Wheaton, Illinois under the designation Full Jet® nozzle. Spray angles between opposed lines on the outer surface of the spray pattern may be in the range of from about 40° to about 110°.

Also as can be seen in FIG. 6, each nozzle 50 is supported from a tubular member 52 which projects from the manifold head 42. Colorant material provided to the head 42 is caused to flow through each of the tubular members 52-52 and to the nozzles 50-50.

The nozzles 50-50 are disposed to reduce interference among the spray patterns and to enhance the coverage of the colorant material on the surface of the plastic insulated wire. As can be seen in FIG. 6, the nozzles are staggered along the path of travel of the plastic insulated wire such that the spray patterns are spaced apart. Also, the nozzles 50-50 are arranged about the path of travel

15

20

25

30

35

40

45

of the insulated wire so that each is directed in a different radial direction and preferably so that they are spaced equiangularly about the moving wire.

Although the nozzles 50-50 enhance the coverage of the surface area of the plastic insulation, they also tend to cause undulatory movement of the traveling insulated wire. However, this effect is muted by the nozzles 46-46 each of which provides a sheet spray.

The system of this invention includes facilities for effecting cutover from one colorant material to another as the insulated wire continues to be moved along the path of travel. A second manifold head 58 (see FIG. 7) identical to the manifold head 42 and having first and second pluralities of nozzles is provided. Further, a shroud 60 which is mounted for reciprocal movement by an air cylinder 62, for example, is interposed between the two manifold heads. The manifold head 58 is operative to supply colorant to its associated nozzles to coat the wire insulation. When it is desired to change colors, the flow of colorant material to the head 42 currently not in use is begun and the air cylinder is controlled to cause the shroud to be moved to the right as viewed in FIG. 7 to shield the moving insulated wire from the nozzles 46-46 and 50-50 of the head 58. The colorant material to the head 42 from which the shroud has been moved is sprayed by its associated nozzles onto the moving insulated wire. Shortly, afterwards, the flow of colorant material to the head 58 is discontinued.

Advantageously, the shroud arrangement may be used to facilitate the cleaning of the apparatus. When one of the heads 42 or 58 is not in use and its nozzles shrouded from the moving insulated wire, a cleaning liquid is flowed through the tubular members and nozzles of the unused head to clean them.

Because of the cutover facilities of FIG. 7, a continuous length of insulated metallic conductor may have different colorant materials applied to successive portions of the length thereof. Subsequently, two portions of the insulated metallic conductor are separated from each other and the two portions twisted together by an apparatus well known in the art to provide an electrically matched pair manufactured on the same line and from a single run of an insulated metallic conductor with no other variables being introduced.

In the alternative, when the cutover apparatus of FIG. 7 is controlled to change from one application head to another, an automatic takeup apparatus is controlled to cause a cutover to another takeup reel after a predetermined time. That time is needed for the length of insulated conductor colored by the first head to be advanced onto one takeup reel before cutover to a second takeup reel. Subsequently, the two reels are mounted in a twist-

ing apparatus (not shown) which is operated to cause the two lengths of differently colored conductor lengths to be twisted together.

As a result of the foregoing methods, an electrically matched twisted pair is provided. The insulation applied by the same extruder to successive portions of length of a metallic conductor and the colorant material applied to an outer surface of each insulated portion results in substantially equal dielectric constants between the two colored, insulated conductors. Of significant importance to the capability of distinguishing between two successive portions of the length of the metallic conductor is the ability to be able to shift quickly from the application of a form of identification to another such as the ability to change colorant materials quickly.

Claims

An electrically matched, insulated metallic conductor pair which is suitable for the transmission of relatively high frequency signals, said conductor pair comprising first and second insulated metallic conductors each comprising a metallic conductor, and an insulation material which covers the metallic conductor; said matched conductor pair being characterized by said first metallic conductor being distinguishable from said second insulated metallic conductor and the dielectric constant of the insulation material which is disposed about the metallic conductor of the first insulated metallic conductor and any identifiable marking associated therewith being substantially equal to the dielectric constant of the insulation material which is disposed about the metallic conductor of the second insulated metallic conductor and any identifiable marking associated therewith; and

further said first and second insulated metallic conductors comprising successive portions of a continuous length of metallic conductor which has been insulated in a single run on a manufacturing line.

- The matched insulated metallic conductor twisted pair of claim 1, wherein
 - a surface layer of a colorant material is confined substantially to an outer surface of the insulation material of each insulated conductor maximizing the distance of each metallic conductor to the colorant material, the colorant material of the second insulated conductor being distinguishable from the colorant material of said first insulated metallic conductor.
- 3. The electrically matched pair of claim 2,

10

15

20

25

30

35

40

45

wherein the insulation material of each insulated conductor is substantially non-porous.

- 4. The electrically matched pair of claim 2, wherein said surface layer of each insulated conductor comprises an ink.
- 5. A method of making an electrically matched, twisted pair of insulated metallic conductors, said method comprising the steps of causing relative motion between a length of metallic conductor and a source of insulating material along a path of travel in a direction along the longitudinal axis of the metallic conductor corner; while applying an insulating material to successive portions of the length of metallic conductor to provide a length of insulated metallic conductor, said method being characterized by the steps of:

causing a portion of the length of the insulated metallic conductor to be distinguishable from the insulation material of a successive portion of the length such that the dielectric constant of the insulation material which is disposed about the metallic conductor of said portion and any identifiable marking associated therewith is substantially equal to the dielectric constant of the insulation material which is disposed about the metallic conductor of said successive portion and any identifiable marking associated therewith; and

twisting together the successive portions of the length of the insulated metallic conductor to provide an electrically matched pair.

6. The method of claim 5 said method comprising the steps of:

causing relative motion between the length of insulated metallic conductor and a source of colorant materials along a path of travel in a direction along the longitudinal axis of the insulated metallic conductor; while

directing a spray pattern of a first colorant material toward the first portion of the length of the insulated metallic conductor to cause the first colorant material to be applied to the first portion of the length of the insulated metallic conductor;

directing a spray pattern of a second colorant material toward the second, successive portion of the length of the insulated metallic conductor to apply the second colorant material to the second, successive portion of the length;

taking up the first and second portions of the length of the insulated metallic conductor; and

twisting together the two successive por-

tions of the length of the surface colored insulated metallic conductor to provide an electrically matched pair.

The method of claim 5, which includes the steps of

> directing spray patterns of one colorant material toward the first portion of the length of the insulated metallic conductor in such a manner that at least each of a plurality of the spray patterns occupies only an area of a plane and such that the direction of each of the plurality of spray patterns is at a predetermined angle to the path of travel, the plurality of spray patterns of the plurality being staggered along and spaced generally equiangularly about the path of travel and cooperating to prevent unintended undulations of the insulated metallic conductor as the relative motion is caused to occur, wherein the one colorant material is moved from a source into a manifold and distributed to each of a plurality of spray nozzles and said method further includes the steps of interposing a shield between the insulated metallic conductor and the nozzles of the manifold and thereafter causing another colorant material to be emitted from nozzles associated with another manifold and directed toward the second portion of the length of the insulated metallic conductor; then

taking up the first and second portions of the length of surface colored insulated metallic conductor; and

twisting together the two successive portions of the length.

- 8. The method of claim 7, wherein first and second pluralities of spray patterns are associated with each manifold arranged along the path of travel with the spray patterns of each plurality being spaced apart along the path of travel, the spray patterns of the first plurality each being in a single plane and at a predetermined angle to the path of travel.
- The method of claim 8, wherein each of the second plurality of spray patterns has a solid conical shape.
- 50 10. The method of claim 7, wherein the distance between the point at which each spray pattern is emitted and the insulated metallic conductor may be varied.

7




FIG. 3








FIG. 5











Europäisches Patentamt European Patent Office Office européen des brevets



(1) Publication number:

0 520 680 A3

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 92305578.4

(51) Int. Cl.5: **H01B** 11/00, H01B 13/02

② Date of filing: 18.06.92

(30) Priority: 28.06.91 US 722786

(3) Date of publication of application: 30.12.92 Bulletin 92/53

Designated Contracting States:
DE ES FR GB IT NL SE


Date of deferred publication of the search report: 24.03.93 Bulletin 93/12 7) Applicant: AMERICAN TELEPHONE AND TELEGRAPH COMPANY 550 Madison Avenue New York, NY 10022(US)

Inventor: Bleich, Larry Lynn 13517 Hascall Street Omaha, Nebraska 68144(US) Inventor: Nutt, Wendell Glenn 5060 Vernon Springs Dr. Dunwoody, Georgia 30338(US) Inventor: Zerbs, Stephen Taylor RR No.1, Gretna, Nebraska 68028(US)

Representative: Johnston, Kenneth Graham et al AT&T (UK) Ltd. 5 Mornington Road Woodford Green Essex, IG8 OTU (GB)

- Twisted pairs of insulated metallic conductors for transmitting high frequency signals and methods of making.
- 57 Methods and apparatus are provided for providing an electrically matched pair (20) of insulated metallic conductors (21, 21). Insulation is applied to successive portions of a length of wire-like metallic conductor (22) after which a colorant material (37) is applied to the surface of a plastic insulation material of a first portion of the length of the metallic conductor which is being moved along a path of travel. Facilities are provided for shielding a supply of the colorant material from the moving insulated metallic conductor and for then exposing a second portion of the length of the insulated metallic conductor to a different colorant material. The insulation and the colorant materials and their disposition with respect to the insulation are such that the dielectric constant of one insulated metallic conductor of the pair is substantially equal to that of the other. The first and second portions of the length of the insulated metallic conductor are separated from each other and are twisted together to provide an electrically matched

pair.





EUROPEAN SEARCH REPORT

Application Number

EP 92 30 5578

Category	Citation of document with inc of relevant pass		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)	
A	GB-A-229 788 (BRITIS CABLES) * the whole document	H INSULATED & HELSBY	1	H01B11/00 H01B13/02	
A	US-A-5 015 800 (VAUP * abstract; figures	POTIC ET AL.)	1,3,5		
A,D	US-A-4 877 645 (BLEI * the whole document		1,3,4		
A,P	EP-A-0 450 789 (A.T. * the whole document		1,3,4		
				TECHNICAL FIELDS SEARCHED (Int. Cl.5)	
				H01B	
			:		
	The present search report has be	een drawn up for all claims			
Place of search Date of completion of the search			' 	Examiner	
THE HAGUE		29 JANUARY 1993		DEMOLDER J.	
CATEGORY OF CITED DOCUMENTS X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category		E : earlier patent after the filing ther D : document cite L : document cite	T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons		
		************************	& : member of the same patent family, corresponding		

5

10

15

20

25

The invention relates to a network connection comprising at least two wires for electrically connecting network users in a network.

Known network connections are constructed in such a way that they are suitable for data transmission through the two wires of the network connection. This has the drawback that both terminals of an energy power supply for the network users are to be realized via separate electric connections.

It is an object of the invention to provide a network connection which is suitable for both data transmission and energy transfer.

According to the invention, this object is solved in that the network connection has a symmetrical structure and the two wires are twisted, in that the wires are mutually insulated to such an extent that they are suitable for a symmetrical, differential data transmission, and in that the two wires have the same electrical resistance and jointly have a cross-section which is suitable for energy transfer from a terminal of a voltage source to network users via both wires.

In this network connection, data can be transmitted through the two wires. Moreover, the energy transfer can jointly take place through the two wires in that a terminal of a voltage source is coupled to the two wires so that energy transfer to the network users can take place through these wires.

For the energy transfer, the two wires jointly have such a cross-section that they are suitable for the currents flowing in response to the energy transfer.

The data transmission is advantageously realized symmetrically and differentially. To this end, the two wires are mutually insulated. This insulation should only be sufficient for the relatively low data transmission voltages. It should particularly not be suitable for relatively high voltages of a power supply for the network users, because only one pole of a voltage source is jointly coupled through the two wires.

Moreover, the two wires have the same electrical resistance in order that the symmetrical differential data transmission through the two wires has the same resistance. Moreover, the data transmission is thus not disturbed by the potential jumps which may occur as a result of the energy transfer.

5

10

15

20

25

30

The network connection has a symmetrical construction. This results in a high attenuation of disturbances of the power supply lines, which is achieved via a cancelling means ("Auslöschung").

To achieve a satisfactory decoupling with respect to external electric and magnetic fields, the two wires are advantageously twisted. This results in an improved mutual magnetic coupling of the two wires, which contributes to the signal-to-noise ratio of the data transmission.

Since the load current for the energy supply is jointly passed through the two wires of the network connection, it is not desirable to use additional copper for this purpose. The overall cross-section of the two wires must only be chosen to be as large as the cross-section of a wire of a separate cable connection for the energy transfer.

For the insulation between the two wires, a thin, inexpensive insulation is admissible because, on the one hand, only the low data transmission voltages are to be insulated and, on the other hand, only the communication rather than the energy supply drops out, even in the case of a failing insulation.

As described in an embodiment as defined in claim 2, only one of the wires may be provided with an insulation for this purpose.

Since the insulation can be formed in a relatively simple manner, a lacquer coating, a synthetic material coating or a tubing may be provided as insulations, as described in further embodiments of the invention.

When stranded wires are used, they can be advantageously insulated by means of a cladding of one of the stranded wires or by means of an insulation between the two stranded wires, as described in a further embodiment of the invention as defined in claim 6.

The network connection according to the invention may also be in a double form, as defined in claim 7. A pole for the energy supply is then coupled via one of the network connections. The data transmission may be realized in a redundant form through the two network connections so that the transmission reliability is enhanced.

To simplify a contact of the network connection, for example, to a network coupler, the outer insulation and the twisting of the wires may be advantageously formed as defined in claim 8.

The network connection according to the invention can be advantageously used in vehicles in which a pole for the power supply is coupled via the chassis of the vehicle. Then, both the data transmission and the power supply for the other pole can take

place via the network connection according to the invention. An additional cable connection with two wires for the power supply can then be dispensed with.

These and other aspects of the invention are apparent from and will be elucidated with reference to the embodiments described hereinafter.

5

10

15

20

25

30

In the drawings:

Fig. 1 shows a network comprising a plurality of network users, among which a network connection according to the invention is established,

Fig. 2 is a cross-section through a first embodiment of a network connection according to the invention, in which only one wire is insulated,

Fig. 3 is a cross-section through a second embodiment of a network connection according to the invention, in which both wires are provided with a thin lacquer coating, and

Fig. 4 is a cross-section through a third embodiment of a network connection according to the invention, in which the wires are formed as stranded wires.

Fig. 1 shows a network connection according to the invention, with two wires 1 and 2. The network connection has a star-shaped configuration and interconnects a plurality of network users 3, 4, 5 and 6. A further network user 7 is provided which is coupled to a terminal of a voltage source U_B and couples this terminal into the two wires 1 and 2 of the network connection.

Via network couplers 8, the network users 3, 4, 5 and 6 are capable of coupling out the required energy symmetrically from the two wires 1 and 2 of the network connection. Furthermore, the network users 3, 4, 5 and 6 transmit data via the two wires 1 and 2 of the network connection according to the invention, which is coupled in and coupled out via the network couplers and is formed in such a way that the data are transmitted symmetrically and differentially through the two wires 1 and 2.

The other terminal of the voltage source U_B may be connected, for example, to the chassis of the vehicle comprising the network users 3 to 7.

The circuit diagram shown in Fig. 1 illustrates that an additional cable connection with two wires for the transfer of energy may be dispensed with in the network connection according to the invention. One terminal for the power supply is coupled via the

WO 01/22615

5

10

15

20

25

30

two wires 1 and 2 of the network connection according to the invention, and the other terminal is coupled via the chassis of the vehicle.

PCT/EP00/09197

Due to the specific construction of the two wires 1 and 2 of the network connection according to the invention, which will be further described hereinafter, these wires 1 and 2 are also simultaneously suitable for a symmetrical, differential data transmission.

This is particularly achieved in that the two wires 1 and 2 are symmetrical and the energy is transferred symmetrically through the two wires. Disturbances caused by the energy transfer thus do not affect the data transmission, because the differential, symmetrical transmission cancels the disturbances during the evaluation of the data transmission.

The two wires 1 and 2 are mutually twisted so as to achieve a satisfactory decoupling from external electric magnetic fields. Moreover, the magnetic coupling between the two wires is thereby improved.

The mutual insulation of the two wires may be relatively simple and thin because this insulation should only insulate the relatively low data transmission voltages. Since a pole for the power supply is jointly coupled through the two wires, these relatively high currents or voltages do not require insulations between the wires.

Fig. 2 is a cross-section through a first embodiment 11 of a network connection according to the invention, with two wires 1 and 2. The two wires have the same cross-section and are electrically constructed in such a way that they have the same resistance.

In the embodiment shown in Fig. 2, only one of the wires, namely the wire 1, is provided with a thin outer insulation 13. This insulation 13 may be, for example, an insulating tubing or a lacquer coating. This insulation 13 should only be formed in such a way that it is adequate for the opposite data transmission voltages occurring in the two wires 1 and 2, which voltages are, however, relatively small.

Furthermore, a joint outer insulation 16 is provided.

The two wires 1 and 2 are mutually twisted in a way which is not further shown in Fig. 2.

To make optically optimal connection points, for example, for network couplers or the like visible in the network connection, the outer insulation 16 may be advantageously formed in such a way that the position of the two wires 1 and 2 in the network connection is visible, i.e. the twisting is recognizable from the exterior. Moreover,

the twisting of the two wires may be advantageously interrupted so as to provide optimal connection points on the two wires 1 and 2.

The cross-section through the first embodiment of the network connection according to the invention, as shown in Fig. 2, illustrates that both a data transmission and a terminal for a voltage source can be established via a network connection which is actually built up in a relatively simple manner, in which even the mutual insulation of the wires may be relatively simple.

5

10

15

20

25

30

This is also shown by a second embodiment shown also in a cross-section in Fig. 3 of a network connection according to the invention which also comprises two wires 1 and 2. However, in the second embodiment shown in Fig. 3, both wires 1 and 2 are provided with a thin outer insulation 21 and 22, respectively. For example, a thin lacquer coating which can be provided in a relatively easy way is sufficient for this purpose. Basically, this insulation may also consist of a synthetic material coating. It is alternatively possible to slide, for example, thin tubings on one or both wires 1 and 2.

The complete network connection is surrounded by an outer insulation 21.

Fig. 4 also shows, in a cross-section, an embodiment of a network connection according to the invention, in which the two wires 1 and 2 are constituted by stranded wires 32 and 33.

In Fig. 4A, the stranded wires 32 and 33 are mutually separated and insulated by means of an insulation 34. The complete stranded wires 32 and 33 are embedded in an insulation 35 so that they cannot move with respect to each other, and the insulation 34 ensures a safe insulation of the two stranded wires 32 and 33 forming part of the two wires 1 and 2.

Fig. 4B is similar to Fig. 4A, showing wires 1 and 2 constituted by stranded wires 32 and 33. However, in this case, not only an insulation 34 as in Fig. 4A is provided but also a cladding for one of the stranded wires. In the embodiment shown in Fig. 4B, the stranded wires 33 of the second wire 2 are completely insulated from the exterior by this cladding 36. Here again, the two stranded wires 32 and 33 are embedded in an outer insulation 35.

All embodiments shown in the Figures show that the network connection according to the invention may have a relatively simple structure because only a simple insulation between the wires 1 and 2 is required. Nevertheless, it is suitable for data transmission as well as for energy transfer.

CLAIMS:

- 1. A network connection comprising at least two wires (1, 2) for electrically connecting network users (3, 4, 5, 6, 7) in a network, characterized in that the network connection has a symmetrical structure and the two wires (1, 2) are twisted, in that the wires (1, 2) are mutually insulated to such an extent (13; 21, 22; 34; 35) that they are suitable for a symmetrical, differential data transmission, and in that the two wires (1, 2) have the same electrical resistance and jointly have a cross-section which is suitable for energy transfer from a terminal of a voltage source to network users (3, 4, 5, 6) via both wires (1, 2).
- 2. A network connection as claimed in claim 1, characterized in that only one wire (1; 2) in the network connection is provided with an insulation (13; 21).
 - 3. A network connection as claimed in claim 2, characterized in that only one of the wires (1; 2) in the network connection is provided with a lacquer coating (21) used as an insulation.

15

5

- 4. A network connection as claimed in claim 2, characterized in that only of the wires (1; 2) in the network connection is provided with a synthetic material coating (13) used as an insulation.
- 20 5. A network connection as claimed in claim 2, characterized in that only one of the wires (1; 2) in the network connection is surrounded by a tubing used as an insulation.
- 6. A network connection as claimed in claim 1, characterized in that the wires (1, 2) in the network connection are formed as stranded wires (32, 33), and in that said stranded wires (32, 33) are mutually insulated by means of an insulation (34) or a cladding (36) of one of the stranded wires (32; 33).

7. A network connection as claimed in claim 1, characterized in that the network connection with two wires (1, 2) each has a double form, and in that the two network connections are twisted.

WO 01/22615

- 5 8. A network connection as claimed in claim 1, characterized in that the outer insulation (16; 25; 35) of the network connection is formed in such a way that the position of the two wires (1, 2) in the network connection is visible and in that the twisting of the two wires (1, 2) is interrupted.
- 9. Use of a twisted double cable as a network connection in a network, in which both a symmetrical, differential data transmission via the two wires (1, 2) and an energy transfer from a terminal of a voltage source via the two wires (1, 2) of the network connection is realized.
- 15 10. Use of a cable having at least two wires (1, 2) for electrically connecting network users (3, 4, 5, 6, 7) in a network, wherein the network connection has a symmetrical structure and the two wires (1, 2) are twisted, the wires (1, 2) being mutually insulated to such an extent (13; 21, 22; 34; 35) that they are suitable for a symmetrical, differential data transmission, the two wires (1, 2) having the same electrical resistance and jointly having a cross-section which is suitable for energy transfer from a terminal of a voltage source to network users (3, 4, 5, 6) via both wires (1, 2).
- 11. Use of a network connection as claimed in any one of claims 1 to 8, wherein the positive terminal is coupled to the network users via the network connection, and wherein the negative terminal of the voltage source is coupled to the network users via the chassis of the vehicle.

THIS PACE TO TOO TOO

1/3




FIG. 1

THIS PAGE BLANK (HEOTO)

2/3




FIG. 2




FIG. 3

THIS PAGE BLANK (USPTO)

3/3




FIG. 4A




FIG. 4B

THIS PAGE BLANK (USPTO)